#### Texas Technology Showcase

Energy-Efficient Process Technologies and Best Practices
Chemical and Refining Industries


March 17 - 19, 2003 Houston, Texas



# Ultra-Low NOx COOLfuel Burners Eliminate SCRs for Boilers

Tim Webster, John Zink Co., LLC & Jim Seebold, ChevronTexaco (Ret)

#### What we would *LIKE* to do!






What we would like *NOT* to do!

# Why we don't like SCRs too much...

It's only money!

... but when we HAVE to go for SCR,


BIGGER is BETTER!





# Poor Man's SCR: Fuel Conditioning!

"Fuel Induced Recirculation" (FIR) or "Fuel Dilution"



- Reaction rate limited!
- Reduce flame temperature, reduce NOx!
- "Cool" Fuel!
- Ain't science wunaful?


### The BIG Idea:

"Deep penetration into the low-Btu regime

... while still maintaining flame stability!

#### It's all about making a low-Btu fuel


Premixed "FIR" (Fuel Induced Recirculation) Example



#### **COOLfuel**

#### **Gas Conditioning**

- Fuel Dilution
  - Introduction of flue gases into the fuel
  - Lowers the heating value of the fuel
  - The diluted fuel results in lower NOx
- Steam Injection
  - Serves as an additional diluent
  - Induces additional amounts of flue gas










## COOLfuel method of FIR \* Patented by John Zink Company \*




#### **COOL**kits

#### **Low NOx Burner Modifications**


 Custom designed components for installation into existing air registers











## SCR Performance @ Burner Cost / Richmond Boiler House

- Treatment: FIR burner retrofit
- **Cost:** ~\$13-million
  - Saved ~\$7-million by avoiding SCR!
- **Reduction**: 550 tons/year
- Cost-Effectiveness: \$4727/ton




#### SCR Performance @ Burner Cost/ Richmond Boiler House

• Emission Rate: 0.03 lb/mmBtu

But what if we <u>Still</u> had to <u>add</u> an SCR to get below <u>0.01</u> lb/mmBtu?

- SCR Cost: \$20-million
- **Reduction**: 38 tons/yr (total 588 tons/yr)
- Cost-Effectiveness: \$11,224/ton (total)
  - **Marginal Cost:** \$105,263/ton!







#### **#4 Boiler Sub-10 PPM Demonstration**

